

**Department of Veterans Affairs**  
**Mental Health – Suicide Prevention**  
**Suicide Prevention Package Patch YS\*5.01\*158**



**May 2021**  
**Version 1.3**

**Deployment, Installation, Back-Out and Rollback Guide-YS\*5.01\*158**  
**Submitted as CLIN 0004AX**  
**Contract VA118-16-D-1007, Task Order VA11817F10070006**

*Submitted by:*  
Booz Allen Hamilton Inc.  
141 W. Front Street, Suite 200  
Red Bank, NJ 07701  
Phone: 732-936-3500  
Fax: 732-936-3535

**Booz | Allen | Hamilton**

## Revision History

Date	Version	Description	Author
02/28/2021	1.3	Update – Build 14 <ul style="list-style-type: none"><li>Update application name from MHA PaSE to MHA Web</li></ul>	Booz Allen
12/11/2020	1.2	Update – Build 13	Booz Allen
09/11/2020	1.1	Update	Booz Allen
06/26/2020	1.0	Initial Draft	Booz Allen

## Table of Contents

<b>1. Introduction .....</b>	<b>5</b>
1.1. Purpose .....	5
1.2. Dependencies .....	5
1.3. Constraints .....	5
<b>2. Pre-installation and System Requirements.....</b>	<b>6</b>
2.1. Platform Installation and Preparation .....	6
2.2. Backup Server Side Components .....	6
2.3. Access Requirements and Skills Needed for the Installation.....	6
<b>3. Installation Procedure .....</b>	<b>7</b>
3.1. Install React/Java Components.....	7
3.2. Install VistA Components .....	7
3.2.1. Load the KIDS Distribution .....	7
3.2.2. Verify the Checksums .....	7
3.2.3. Print the Transport Global .....	7
3.2.4. Compare the Transport Global .....	9
3.2.5. Backup the Transport Global.....	9
3.2.6. Install the KIDS Distribution .....	9
3.3. Installation Verification Procedure .....	10
<b>4. Implementation Procedure .....</b>	<b>11</b>
4.1. User Configuration .....	11
4.1.1. Configure NEW PERSON .....	11
4.1.2. Add the Necessary SECURITY KEYs .....	11
<b>5. Back-Out Procedure .....</b>	<b>12</b>
5.1. Back-Out Strategy .....	12
5.2. Back-Out Considerations .....	12
5.2.1. Load Testing .....	12
5.2.2. User Acceptance Testing .....	12
5.3. Back-Out Criteria .....	12
5.4. Back-Out Risks .....	12
5.5. Authority for Back-Out .....	12
5.6. Back-Out Procedure .....	12
5.6.1. VistA Component Backout.....	12
5.6.2. React/Java Component Backout .....	14
<b>6. Rollback Procedure .....</b>	<b>15</b>
6.1. Rollback Considerations .....	15
6.2. Rollback Criteria .....	15

<b>6.3. Rollback Risks .....</b>	<b>15</b>
<b>6.4. Authority for Rollback .....</b>	<b>15</b>
<b>6.5. Rollback Procedure .....</b>	<b>15</b>

# 1. Introduction

The Deployment, Installation, Back-Out, Rollback Guide defines the ordered, technical steps required to install the product, and if necessary, to back-out the installation, and to roll back to the previously installed version of the product. It provides installation instructions for the patch YS\*5.01\*158 MHA Planning and Staff entry (MHA Web), as managed through the Suicide Prevention Project.

## 1.1. Purpose

The purpose of this plan is to provide a document that describes how, when, where, and to whom Mental Health patch YS\*5.01\*158 will be deployed and installed, as well as how it is to be backed out and rolled back, if necessary. The plan also identifies resources, communications plan, and rollout schedule. Specific instructions for installation, back-out, and rollback are included in this document.

## 1.2. Dependencies

Minimum requirements:

Application Name	Minimum Version Needed
CPRS	31 A
Clinical Reminders	2.0
Kernel	8.0
RPC Broker	1.1
PIMS	5.3
VA FileMan	22.2
Mailman	8.0

It is assumed that this patch is being installed into a fully patched Veterans Health Information System and Technology Architecture (VistA) system.

The following patches are required:

YS\*5.01\*141 – MHA GUI and Web Updates

YS\*5.01\*150 – Suicide Prevention Instruments

YS\*5.01\*173 - INACTIVATE I9 INSTRUMENTS, UPDATE PROMIS29

The following patch is strongly recommended:

DG\*5.3\*1026 – Master Veteran Index VistA Enhancement – TFL API Update

## 1.3. Constraints

There are no constraints beyond the installation into an up-to-date VistA system.

## **2. Pre-installation and System Requirements**

### **2.1. Platform Installation and Preparation**

This patch installs one new Remote Procedure Call (RPC) and updates two VistA files.

### **2.2. Backup Server Side Components**

The React/Java server side implementation is managed through the Azure administration console. The person designated to maintain the Azure Docker based application will be responsible for backup of the current image.

### **2.3. Access Requirements and Skills Needed for the Installation**

Installation will require:

- Access to the cloud environment by the Azure application administrator
- Programmer Access to VistA
- Knowledge of the Kernel Installation and Distribution System (KIDS) function in VistA
- Knowledge of the FileMan Enter/Edit function in VistA
- Access to file system resources to access and install host files if necessary.

## 3. Installation Procedure

### 3.1. Install React/Java Components

The Azure administrator will be responsible for the installation. Further information can be found in the document Azure installation guide, CLIN 0004AX-A\_IG.docx, in the Suicide Prevention Project (SPP) MHA documentation.

### 3.2. Install VistA Components

#### 3.2.1. Load the KIDS Distribution

Load the contents of the package by logging in to VistA. Go to the MailMan menu, select the PackMan patch message containing the YS\*5.01\*158 patch. At the message action prompt, select extract the KIDS package.

```
Type <Enter> to continue or '^' to exit: ^

Enter message action (in IN basket): Ignore// x Xtract KIDS
Select PackMan function: 6  INSTALL/CHECK MESSAGE

Line 3      Message #130243      Unloading KIDS Distribution      YS*5.01*158
Loading Distribution...

      YS*5.01*158
```

#### 3.2.2. Verify the Checksums

At the Kernel Installation &Distribution System Installation menu choose Verify Checksums in Transport Global for YS\*5.01\*158.

```
1      Load a Distribution
2      Verify Checksums in Transport Global
3      Print Transport Global
4      Compare Transport Global to Current System
5      Backup a Transport Global
6      Install Package(s)
      Restart Install of Package(s)
      Unload a Distribution

Select Installation Option: 2  Verify Checksums in Transport Global
Select INSTALL NAME: YS*5.01*158

This Distribution was loaded on ...

Want each Routine Listed with Checksums: Yes//      YES
```

#### 3.2.3. Print the Transport Global

At the Kernel Installation &Distribution System Installation menu choose Print Transport Global for YS\*5.01\*158. (Note: Below is just an example. Actual display may vary slightly)

```
1      Load a Distribution
2      Verify Checksums in Transport Global
3      Print Transport Global
```

- 4 Compare Transport Global to Current System
- 5 Backup a Transport Global
- 6 Install Package(s)
- Restart Install of Package(s)
- Unload a Distribution

Select Installation Option: 3 Print Transport Global  
 Select INSTALL NAME: YS\*5.01\*158

Select one of the following:

- 1 Print Summary
- 2 Print Summary and Routines
- 3 Print Routines

What to Print: 1 Print Summary

DEVICE: HOME// PSEUDO-TERMINAL SLAVE

PACKAGE: YS\*5.01\*158 Feb 11, 2021 3:11 pm PAGE 1

-----  
 TYPE: SINGLE PACKAGE TRACK NATIONALLY: YES  
 NATIONAL PACKAGE: MENTAL HEALTH ALPHA/BETA TESTING: NO

DESCRIPTION:  
 Mental Health web application support

ENVIRONMENT CHECK: DELETE ENV ROUTINE:  
 PRE-INIT ROUTINE: DELETE PRE-INIT ROUTINE:  
 POST-INIT ROUTINE: POST^YS158PST DELETE POST-INIT ROUTINE: No  
 PRE-TRANSPORT RTN:

FILE #	FILE NAME	UP DATE DD	SEND SEC. CODE	DATA COMES W/FILE	SITE DATA	RSLV PTRS	USER OVER RIDE
601.71	MH TESTS AND SURVEYS	YES	YES	NO			NO
Partial DD: subDD: 601.71 fld: 95 fld: 96							
601.712	MH TEST/SURVEY SPEC	NO	NO	YES	OVER	YES	NO
DATA SCREEN: I "^BAM^EAT^POQ^COP^" [ ("^" _ \$E (\$G (^YTT (601.71,+\$P (^ (0),U),0)),1,3) _ ("^")							
601.84	MH ADMINISTRATIONS	YES	YES	NO			NO
Partial DD: subDD: 601.84 fld: 16							

ROUTINE: ACTION:  
 YS158PST SEND TO SITE  
 YTQREST SEND TO SITE  
 YTQRQAD SEND TO SITE  
 YTQRQAD3 SEND TO SITE  
 YTQRQAD4 SEND TO SITE  
 YTQRQAD5 SEND TO SITE  
 YTQRQAD6 SEND TO SITE  
 YTQRUTL SEND TO SITE

OPTION: ACTION:  
 YS BROKER1 SEND TO SITE  
 YTQREST MHA SEND TO SITE

REMOTE PROCEDURE: ACTION:  
 YTQREST QADMIN SEND TO SITE

INSTALL QUESTIONS:

Default Rebuild Menu Trees Upon Completion of Install: NO  
 Default INHIBIT LOGONS during the install: NO  
 Default DISABLE Scheduled Options, Menu Options, and Protocols: NO



**REQUIRED BUILDS:**

YS\*5.01\*150  
 DG\*5.3\*1026  
 YS\*5.01\*141  
 YS\*5.01\*173

**ACTION:**

Don't install, remove global  
 Warning only  
 Don't install, remove global  
 Don't install, remove global

### 3.2.4. Compare the Transport Global

At the Kernel Installation & Distribution System Installation menu choose Compare Transport Global for YS\*5.01\*158. The output should identify changes to the transport global. If there are no changes identified, the installation package is faulty, and a developer must be notified.

### 3.2.5. Backup the Transport Global

At the Kernel Installation & Distribution System Installation menu choose Backup a Transport Global for YS\*5.01\*158. This is a critical step as it will allow a roll-back if necessary.

- 1 Load a Distribution
- 2 Verify Checksums in Transport Global
- 3 Print Transport Global
- 4 Compare Transport Global to Current System
- 5 Backup a Transport Global
- 6 Install Package(s)  
 Restart Install of Package(s)  
 Unload a Distribution

Select Installation Option: 5 Backup a Transport Global  
 Select INSTALL NAME: YS\*5.01\*135  
 Subject: Backup of YS\*5.01\*158 install on Feb 7, 2019  
 Replace  
 Loading Routines for YS\*5.01\*158.....  
 Send mail to: INSTALLER,NAME// INSTALLER,NAME  
 Select basket to send to: IN//  
 And Send to:

### 3.2.6. Install the KIDS Distribution

Log in to VistA and go to the Kernel Installation and Distribution System (KIDS) Menu [XPD MAIN]:

Edits and Distribution ...  
 Utilities ...  
 Installation ...  
 Patch Monitor Main Menu ...

Select Kernel Installation & Distribution System Option: Installation

- 1 Load a Distribution
- 2 Verify Checksums in Transport Global
- 3 Print Transport Global
- 4 Compare Transport Global to Current System
- 5 Backup a Transport Global
- 6 Install Package(s)  
 Restart Install of Package(s)  
 Unload a Distribution

Use the Install Package(s) option and select the package YS\*5.01\*158.

- a. When prompted "Want KIDS to Rebuild Menu Trees Upon Completion of Install? NO//", answer NO.
- b. When prompted "Want KIDS to INHIBIT LOGONs during the install? NO//", answer NO.
- c. When prompted "Want to DISABLE Scheduled Options and Menu Options and Protocols? NO//", answer NO.

### **3.3. Installation Verification Procedure**

Once the KIDS package has been installed, a person with sufficient access should check the system error trap and verify there are no errors.

## **4. Implementation Procedure**

Once the KIDS and React/Java packages have been installed, configure the users to enable them to use MHA Web.

### **4.1. User Configuration**

#### **4.1.1. Configure NEW PERSON**

The users must have the following Secondary Menu assigned:

- YS BROKER1

Note: This is done to streamline installation. All users who have access via YS BROKER1 will automatically have access to this application.

#### **4.1.2. Add the Necessary SECURITY KEYS**

No new Security Keys required at this time.

## **5. Back-Out Procedure**

### **5.1. Back-Out Strategy**

It is possible to back-out the installation of YS\*5.01\*158. The back-out of changes to the data dictionary is not recommended. This should be done in consultation with the developers and would require a patch to a patch. The server side Java environment would have to be restored by Azure administrator.

### **5.2. Back-Out Considerations**

Please contact VistA support and the development team before attempting a back-out.

#### **5.2.1. Load Testing**

TBD

#### **5.2.2. User Acceptance Testing**

TBD

### **5.3. Back-Out Criteria**

A back-out should only be considered if there is a patient safety issue, if Mental Health Assistant no longer functions, or if there is some other catastrophic failure.

### **5.4. Back-Out Risks**

The risks vary depending on what is causing the failure of the system. The main risk is that the Mental Health package would be left in an unknown configured state.

### **5.5. Authority for Back-Out**

The VistA system manager determines if a back-out of YS\*5.01\*158 should be considered.

### **5.6. Back-Out Procedure**

#### **5.6.1. VistA Component Backout**

See below for a screen scrape of removal using programmer mode.

In order to back out the VistA Components of the MHA Web the following routines need to be removed:

- YS158PST
- YTQREST
- YTQRQAD
- YTQRQAD3
- YTQRQAD4

- YTQRQAD5
- YTQRQAD6

Note: There is overlap in routine YTQRQAD3 with Patch YS\*5.01\*141. Care must be taken not to adversely affect YS\*5.01\*141.

Next, restore the routines from backup made in 3.2.5.

The files below have fields added and could be rolled back at the discretion of the system administrator. However, this is not recommended unless with the consultation with the developers as these fields may contain data.

- 601.71 MH TESTS AND SURVEYS
  - 95: ROUTINE FOR SUICIDE RISK-Name of routine for calculating suicide risk
  - 96: TAG FOR SUICIDE RISK-Name of tag for calculating suicide risk
- 601.84 MH ADMINISTRATIONS
  - 16: SUICIDE RISK- Calculated suicide risk value

Using Fileman, next delete OPTION (#19) **YTQREST MHA** and REMOTE PROCEDURE (#8994) **YTQREST QADMIN**. You can do this using the roll and scroll interface, or use the APIs shown below.

Here are detailed instructions from Programmer Mode. User typed text is in bold. Text between [ ] describes sections that are omitted or user instructions.

```
V2004>F
X="YS158PST", "YTQREST", "YTQRQAD", "YTQRQAD4", "YTQRQAD5", "YTQRQAD6", "YTQRUTL" X
^%ZOSF("DEL")

V2004>D ^XM
[Read the message then then use X to load it into Packman]
Enter message action (in IN basket): Ignore// Xtract PackMan
Select PackMan function: 6  INSTALL/CHECK MESSAGE

Warning:  Installing this message will cause a permanent update of globals
and routines.
Do you really want to do this? NO// YES

Routines are the only parts that are backed up.  NO other parts
are backed up, not even globals.  You may use the 'Summarize Message'
option of PackMan to see what parts the message contains.
Those parts that are not routines should be backed up separately
if they need to be preserved.

Shall I preserve the routines on disk in a separate back-up message? YES// NO
No backup message built.

Line 2      Message #129673      Unloading Routine      YTQREST (PACKMAN_BACKUP)
Line 66     Message #129673      Unloading Routine      YTQRQAD (PACKMAN_BACKUP)
Line 241    Message #129673      Unloading Routine      YTQRQAD4 (PACKMAN_BACKUP)
Line 449    Message #129673      Unloading Routine      YTQRQAD5 (PACKMAN_BACKUP)
Line 624    Message #129673      Unloading Routine      YTQRUTL (PACKMAN_BACKUP)
```

```

; [Verify Routine has been rolled back. Patch list shouldn't contain 158]
V2004>ZL YTQRUTL P +2
      ;;5.01;MENTAL HEALTH;**130**;Dec 30, 1994;Build 62

; [It is not recommended to delete the data dictionaries as data may exist in
there. Please consult with the developers for instructions on what to do.]

; [Delete option and then verify deletion]
V2004>S FDA(19,$$FIND1^DIC(19,,"XQ","YTQREST MHA","B")_",".01)="@" D
FILE^DIE("FDA")
V2004>W $$FIND1^DIC(19,,"XQ","YTQREST MHA","B")
0

; [Delete RPC and then verify deletion]
V2004>S FDA(8994,$$FIND1^DIC(8994,,"XQ","YTQREST QADMIN","B")_",".01)="@" D
FILE^DIE("FDA")
V2004>W $$FIND1^DIC(8994,,"XQ","YTQREST QADMIN","B")
0

```

### 5.6.2. React/Java Component Backout

The Azure administrator will be responsible for backing out the React/Java component.

## **6. Rollback Procedure**

Since the MHA Web contains new components only, there is no data to rollback.

### **6.1. Rollback Considerations**

N/A

### **6.2. Rollback Criteria**

N/A

### **6.3. Rollback Risks**

N/A

### **6.4. Authority for Rollback**

N/A

### **6.5. Rollback Procedure**

N/A